


PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : G06F 15/02, 3/033	A1	(11) International Publication Number: WO 91/12578 (43) International Publication Date: 22 August 1991 (22.08.91)
(21) International Application Number: PCT/US89/05198 (22) International Filing Date: 6 February 1990 (06.02.90) (71) Applicant: MICROSLATE, INC. [CA/US]; 9625 Ignace, Suite D, Brossard, Quebec J4Y 2P3 (CA). (72) Inventors: CLOUGH, William, A. ; RR1, Bainsville, Ontario K0C 1E0 (CA). OUELLETTE, Daniel ; 8 Pierre-Paul de Maray Street, Luc, Quebec JOJ 2A0 (CA). DE LA SABLONNIERE, Serge ; 8974A Avenue George, Ville d'Anjou, Quebec H1K 1K5 (CA). (74) Agents: ROSS, Gary, E. et al.; Nutter, McClennen & Fish, One International Place, Boston, MA 02110-2699 (US).		(81) Designated States: AT (European patent), BE (European patent), CH (European patent), DE (European patent)*, DK (European patent), ES (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent). Published <i>With international search report.</i>
(54) Title: PORTABLE COMPUTER WITH TOUCH SCREEN AND COMPUTER SYSTEM EMPLOYING SAME  (57) Abstract <p>Portable computer specifically adapted for facilitated data collection and recordation. The portable computer is self-contained in that it includes in a single compact housing all components necessary for computing a CPU, memory, input/output device, a battery pack for power, and preferably, a floppy disk drive or RAM pack. The input/output device has a touch sensitive screen superposed over a display, for example, an LCD display. The display is visible, and the touch sensitive screen is accessible, through a window defined in the housing.</p>		

DESIGNATIONS OF "DE"

Until further notice, any designation of "DE" in any international application whose international filing date is prior to October 3, 1990, shall have effect in the territory of the Federal Republic of Germany with the exception of the territory of the former German Democratic Republic.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SN	Senegal
CI	Côte d'Ivoire	LI	Liechtenstein	SU	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TC	Togo
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark				

-4-

PORTABLE COMPUTER WITH TOUCH SCREEN
AND COMPUTER SYSTEM EMPLOYING SAME

FIELD OF THE INVENTION

The present invention relates to personal computing using a portable computer having a built-in touch sensitive screen as a combined input/output device, and to computer systems using such computers for remote data collecting and recording.

BACKGROUND OF THE INVENTION

Portable devices for data collection at locations remote from central facilities are now commonly available and becoming common place. These devices include hand-held units and lap-top computers. Hand-held data collection devices typically run dedicated, often, single-function applications which are preprogrammed for specific end uses in specific fields, e.g., traffic citations and inventory taking. Usually data is entered into the hand-held device by bar code readers or keyboards, or a combination of the two. While data entry by bar code reader can be effected swiftly, keyboard data entry frequently bogs down due to the lack of operator skill and need to enter the data letter-by-letter, number-by-number, bit-by-bit.

Furthermore, typical hand-held devices have limited display screen sizes and limited operating programs. They utilize small memories, ROM and/or RAM, in which the collected data is stored until it can be uploaded to a host computer by

-2-

direct cable connection or modem. The specific application which the hand-held unit is to run typically is stored on-board in RAM.

On the other hand, lap-top computers typically are general-purpose machines which are not application-dedicated. Frequently, lap top computers' display screens are full size or nearly full size, unlike the hand-held units, and usually flip up for use. Entry of information is generally performed using a keyboard which is provided integrally in the lap-top computer's housing or as a peripheral, although other peripheral input devices such as a mouse or touch screen can also be used. Because the lap-top is intended for use while supported on the user's lap, as the name imports, use of a mouse or touch screen is difficult to coordinate or even precarious. In addition, the typical lap top computer's physical characteristics, including its unsymmetrical dimensions, bulkiness, weight, and off-set center of gravity, make use of the lap-top computer unwieldingly in many instances.

For both hand-held devices and lap-top computers, the need to use a keyboard for entry of data is viewed by many would-be users as being laborious or tedious or requiring a skill they have not mastered. This is particularly true for those individuals who are not office workers and have little or no typing skills or who have little or no experience with computers. The computer keyboard can be an intimidating device for them, all the more so when confronted by the traditional typewriter-type QWERTY keyboards.

Also known are systems of point-of-sale ("POS") terminals for use for such diverse purposes as grocery check-out at supermarkets, inventory control, credit authorization or

-3-

verification or electronic fund transfer. In such systems, the input terminals typically are off-line devices operating limited programs mainly for arithmetic operations, using a keyboard bar code reader or other data entry devices to capture the data for uploading to a central processing computer. Furthermore, such POS terminals typically are disposed for use at fixed locations and, consequently, do not afford the convenience of portability for many applications. Portability or even ambulatory use is more than a convenience-it is a necessity.

SUMMARY OF THE INVENTION

Accordingly, it is an object of the invention to provide an improved, portable, general purpose computer which permits facilitated data entry, is ergonomically designed in a streamlined case with an integral touch screen for over-all ease of use and economy of effort, and is not unwieldy for the user on the go.

It is yet a further object of the invention to provide an improved system for data collecting and recording which is straight-forward to use for the "man-in-the-street", i.e., requires minimal instruction for use, and requires reduced use of a keyboard for entry of information and data.

It is another object of the invention to provide such a system which also facilitates the process of data collecting and recording, for instance, replacing tedious report writing with a series of simple, speedy, single-stroke entries to choose responses from sets of multiple-prescribed answers that change, when necessary, so that the answers in the sets conform to the nature of the question at hand.

-4-

Other objects of the invention will in part be obvious and will in part appear hereinafter.

The invention accordingly comprises the features of construction, combination of elements, and arrangement of parts which are exemplified in the construction hereinafter set forth, and the scope of the invention will be indicated in the appended claims.

Briefly, according to a first aspect of the invention, an improved portable computer is provided which is specifically adapted for facilitated data collection and recordation. The portable computer is self-contained in that it includes in a single compact housing all components necessary for computing--a CPU, memory, input/output device, a battery pack for power, and preferably, a floppy disk drive or RAM pack.

The input/output device has a touch sensitive screen superposed over a display, for example, an LCD display. The display is visible, and the touch sensitive screen is accessible, through a window defined in the housing. The portable computer is keyboardless in that it does not require a keyboard for use since it is equipped with the touch screen. Nevertheless, it is provided with connections to hookup an external keyboard as well as a full range of peripherals, and is capable of displaying an interactive, simulated keyboard by means of the input/output device.

For data collecting and recording, the memory stores a data collection application and has locations for storing data entered manually by touching the touch sensitive screen. The data collection application determines the content and format of displays, and can be generated or created on the portable computer or another suitable computer using an external

-5-

keyboard and cursor control.

The CPU executes the application and processes the manually entered data pursuant to the application.

In accordance with other aspects of the invention, the processor, memory and input/output device of the portable computer cooperate to provide multiple choice questions, multiple choice/multiple-selection questions, simulated keyboards, sliding scales and libraries to appear on the display at appropriate times as data entry devices.

In accordance with still other aspects of the invention, data collection is facilitated by using displayed help fields for each question or subject, sequential and consequential libraries, and cross-referencing of entered responses. These features offer particular advantages in expert systems, such as medical diagnostic applications.

Sequential libraries are libraries of possible responses in text or pictogram form stored in fields in memory and fetched with the associated subject or question for display in single column or multi-column format on the display of the input/output device. The user then selects one or more of the listed possible entries by suitably touching the touch screen. The input/output device generates response signals corresponding to each selected response. The CPU causes data corresponding to the response signals to be stored in memory. Preferably, the user can personalize the contents and order of the displayed library entries.

Consequential libraries are similar to sequential libraries except that associated with one or more of the possible responses stored in the memory, are actions or

-6-

executable instructions (e.g., branch, jump, etc.) also stored therein which change the flow of the application. The user selects from the displayed possible responses as described with respect to sequential libraries. The selection results not only in data being stored in memory, however, but also in the CPU executing the action associated with the selected response.

Cross-referencing entails tie matching of entered responses with a library of possible responses, and, if a match is encountered, displaying the fact of the match, otherwise alerting the user, or displaying information stored in memory fields associated with that library entry.

In accordance with still other aspects of the invention, the display can be personalized to a particular user, can be used to perform spread sheet calculations, can be programmed to have constant fields of information, and can be modified to promote or rearrange specific subjects or questions.

In addition to the foregoing, the invention embraces a data collection method and system characterized by the above-identified features, and providing facilitated data collection in the field. Such a system includes a host computer for generating the application, and a plurality of satellite computers, each advantageously being one of the portable computers described above, for executing the application received from the host computer, collecting and recording data pursuant thereto, and from time to time, up-loading the collected data to the host computer for further processing and/or storage.

Along these lines, the invention takes advantage of the attributes of the portable computer by providing a carrying case and strap arrangement for holding the portable computer

-7-

and suspending it from the body of an ambulatory user at a suitable location and orientation of use.

BRIEF DESCRIPTION OF THE DRAWINGS

For a fuller understanding of the nature and objects of the invention, reference should be had to the following detailed description taking in connection with the accompanying drawings, in which:

FIGURE 1 is a perspective view of a portable computer in accordance with the invention;

FIGURE 2 is a block diagram of the components of the portable computer of FIGURE 2, together with selected peripheral devices;

FIGURE 3 is a block diagram of the components of a singleboard computer of the portable computer of FIGURE 2;

FIGURE 4A and 4B are block diagrams of alternative data collection systems in accordance with the invention;

FIGURE 5 is a block diagram of an application generator in accordance with the invention, by which the host computer of FIGURE 4A generates applications for data collection;

FIGURE 6 is a detailed block diagram of the screen generator of FIGURE 5;

FIGURE 7 is a detailed block diagram of the PAGES function of FIGURE 6;

FIGURES 8A and 8B are detailed block diagrams of the

-8-

PERSONALIZE function of FIGURE 6;

FIGURE 9 is a detailed block diagram of the LIBRARY MAINTENANCE function of FIGURE 5;

FIGURE 10 is a detailed block diagram of the SYSTEM SETUP1 function of FIGURE 5;

FIGURE 11 is a flow chart of the run-time process for executing a data collecting application on the satellite computer of FIGURE 4A;

FIGURES 12A through 12B are illustrative screen displays of a parking infraction application generated by the application generator of FIGURE 5 and executed on the satellite computer of FIGURE 4A by the run-time program of FIGURE 11;

FIGURE 13 is a perspective view of a carrying case for the portable computer of FIGURE 1; and

FIGURE 14 is an illustration of ambulatory use of the portable computer of FIGURE 1 made possible by the carrying case of FIGURE 13.

DESCRIPTION OF THE PREFERRED EMBODIMENT

a. Portable Computer

FIGURE 1 is a perspective view of a portable, general purpose computer 10 of improved design in accordance with the invention. The portable computer 10 is of compact design, e.g., being 13 3/4 x 9 1/2 x 2 1/4 inches in size and weighing only 7 lbs. As illustrated, a computer housing 12 is provided, of boxlike form having a generally rectangular, planar top

-9-

surface 14 incorporating a substantially flush-mounted input/output screen 16. The input/output screen 16 has a liquid crystal display (LCD) with a touch screen overlay.

As illustrated, the input/output screen 16 is visible and accessible through an opening or window 17 in the housing, is of generally rectangular form, and comprises a substantial portion of the area of the top surface 14. For example, in one configuration, the top surface 22 has outer measurements of 12.75 inches by 9.5 inches and the input/output device 24 has measurements equal to that of the housing window 28, i.e., 9 inches by 4 inches. As such, approximately 30% of the top surface consists of the input/output device 16. In other configurations, this ratio can be as high as, e.g., approximately 40%, with just a minimal case border surrounding the screen 16.

As illustrated, the housing 12 also has a bottom wall 18 parallel with the top surface 14, and substantially parallel left and right sides 22A, 22B, and substantially parallel front and back sides 24A, 24B, respectively. Accessible through the right end 24B is a disk drive 26, e.g., for accommodating a 3.5 inch floppy diskettes 27, and a plurality of connectors 38 for connecting peripherals (not shown in FIGURE 1).

FIGURE 2 shows a block diagram of the portable computer 10. Block 50 represents the previously mentioned touch screen. Suitable touch screens 50 are commercially available, e.g., from ELOGRAPHICS, Oakridge, Tennessee. A touch screen controller 52 electrically is connected to the touch screen 50 for controlling the touch screen 50. Suitable touch screen controllers 52 are commercially available from MEGATEL Corporation.

-10-

A power supply unit and inverter represented by Block 54 supplies all current for the computer 10. There is a standby module 56 for bringing down parts of the portable computer 10 for power savings, which is connected between the touch screen 50 and the power supply and inverter 24. Block 58 represents a battery pack which, for example, is a 12 volt DC, two amp-hour, NiCad pack for supplying power to the computer 10. The battery pack 58 is disposed in an externally assessable battery compartment (not shown). An external power adapter jack 60 is also provided for connecting the computer 10A-10N to an external power supply, e.g., 110 volts, during prolonged office use or as a back-up to the battery pack 58. Block 62 represents the LCD display which is a backlit, 640 by 200 width display (i.e., 200 rows of 640 pixels each), or a 640 by 400 width display for improved graphic resolution. Suitable LCD displays 60 are commercially available, e.g., from OPTREX Corporation, California. The LCD display 62 is connected to the power supply and inverter 58 to receive -20V DC and 120VAC at 400HZ, and to a contrast control 64 for controlling the contrast of the display. The contrast controller 58 receives -20V DC from the power supply and inverter 54 and supplies -16 to -24V DC to the LCD display 62 as manually selected by turning a control knob (not shown) on the outside of housing 12.

Block 68 represents a drive for a user-transportable read/write memory device such as floppy disk 27 (FIGURE 1), or a receptacle with electrical connectors for a RAM pack (not shown) which both serve the purpose of storing an application to be run.

Block 70 represents single-board computer which controls all the other components illustrated in FIGURE 3. Suitable singleboards computers 70 are commercially available, e.g.,

-11-

from MEGATEL Corporation, Weston, Ontario. Preferably the singleboard computer 70 is of compact design, for example, 6 inches x 4 inches. It will be described in more detail shortly.

An input/output (I/O) connector board 100 links the singleboard 70 computer to all the I/o devices and components and controls therefore found within computer 10, including the touch screen 50, touch controller 52, LCD display 62 and drive 68. Suitable I/O connector boards 100 are commercially available, e.g., from MEGATEL Corporation. A plurality of bi-directional buses extend from the connector board 100. A main bus 100A connects the single-board computer 70 with the I/O connector board 100. From the I/O connector board 100 extends a bus 100B which ties in the single-board computer 70 to the floppy disk drive 68. An LCD bus 100C connects the LCD display 62 with the single-board computer 70. In addition, a touch screen controller bus 100D connects the touch screen controller 52 to the singleboard computer 70. Finally, an external I/O connector bus 100E connects the I/O connector board to various input and output lines 102A 102G, each of which permits the connection of a peripheral device. As shown, line 102A permits connection of a second drive 104, e.g., for a 5 1/4 inch floppy disk, line 102B permits connection of an external monochrome or red-green-blue ("RGB") monitor 106. Line 102C is for a communication line or hook-up to a printer 108. Line 102D is for connection of a parallel-type printer 110. Line 102E is an external SCSI interface for hooking up an external hard disk unit 112. Line 102F is used to hook-up an external modem 114. Line 102G is used to hook-up a bar code reader 116.

Accordingly, it can be seen that portable computer 10 is a self-contained versatile machine for stand-alone operation under the control of its own processor, and/or integrated into

-12-

a system for data collection.

FIGURE 3 is a block diagram of the single-board, digital computer 70. There is shown a central processing unit ("CPU") 120, such as is available commercially from NEC Corporation. Within the CPU 120 there are DMA, timers, int. control registers, address decoders and serial I/o. From the CPU 120 extends several bi-directional buses: an address bus 122 distributes all the addressing information; a data bus 124 distributes all the data information; and a control bus 126 distributes the control information. Each of these buses 122-126 provide electrical communication to other components of the single-board computer 70. A floppy disk drive interface 128 handles any of a variety of sizes and types of floppy disks, e.g., 3.5 inch and a 5 1/4 inch diskette, whether of 300K, 720K or 1.2 meg density. A SCSI 130 hard disk and tape back-up interface is also provided for communication with peripherals. A video controller 131 allows the connection of various display devices, e.g., color graphics display, LCD display, etc. A Serial I/o communication ports 132 is available for modem connection or other serial transmission to a host computer. There is a parallel I/O communication port 134 used to connect a parallel printer. A memory 136 is provided, preferably 512K or 768K of RAM memory and 8K of ROM for maintaining the operating system. The address, data and control buses 122-126 are directed to a buffered 62 pin I/O channel expansion 138, which accepts standard expansion boards 140A, 140B. There are also provided two 96 pin EUROCARD DIN connectors.

b. Data Collecting System

FIGURE 4 illustrates a data collecting and recording computer system 200 in accordance with the invention which incorporates a host computer 202 and a plurality of computers

-13-

10A, 10B, 10C 10D...10N each of which advantageously being one of the portable computers 10 of FIGURES 103. Each computer 10A-10N is capable of running a data collecting and recording application independent of the other computers. The term "satellite" is intended to denote that the computers 10A-10N are normally used independently of the host computer 12 under the control of their own central processing unit ("CPU"), and are freely portable and mobilely usable. In other words, the satellite computers 10A-10N are intended to be used while being carried, for example, on the factory floor, about a construction site, or in the field, remote from an office. The satellite computers 10A-10N are only dependent on the host computer 12 for down-loading of an application therefrom to be run on the computers 10A-10N typically after communication with the host computer has ended, and for up-loading of data collected by the computers 10A-10N. As such, the computers 10A-10N are intended for use in an "independent mode" under the control of their own central processing unit during field data entry, i.e., when data is collected and recorded or stored therein, and in a "subordinate mode" for application receipt from, and collected data transfers to, the host computer 202. In normal use, the computers 10A-10N are in their subordinate mode during an insubstantial length of time of their use.

The host computer 202 is responsible for computer-assisted design of the data collecting and recording application to be run on the computers 10A-10N. The host computer 202 runs an application generator program which requires a keyboard 203, full screen with cursor, etc., by means of which the application designer designs application screen contents and formats for data collection. The application generator program is intended to work on any of a variety of host computers 202, such as the portable computer 10 with suitable peripherals or commercially available IBM brand

-14-

or compatible personal computers, minicomputers or main frame systems, using a known operating system, preferably MS-DOS (trademark), which is available from MICROSOFT, INC. Once an application is designed by a host system 202 it is then downloaded to one or more of the computers 10A-10N.

The host system 202 stores an application and association libraries in memory locations partitioned by the application generator. The libraries are stored and indexed, for instance, by type, by user, or by company. A whole series of applications and associated libraries can be stored in the host computer 202, any of which being available to be downloaded to one of the computers 10A-10N.

Once the application is downloaded to the computer 10A-10N, the computer 10A-10N is ready to perform data collection. The satellite computer 10A-10N can continuously and repetitively collect data based on the screen content and format established by the application generator. The collected data is locally stored in the computer 10A-10N. When data collection is completed, for instance, once the work day is over, the data from the computer 10A-10N is uploaded to the host computer 202. At this point, it is up to the operator of the host computer 202 to use the transferred data for whatever purpose is desired. Appropriate routines are provided in the system 100 to do the upload directly into the host computer 202, preferably using commercially available databases.

The uploading or downloading between the host computer 202 and the satellite computers 10A-10N can be done in any of several ways-by user-transportable means such as a floppy disk, a cable attachable from the host computer 202 to the satellite computers 10A-10N whenever communication is to occur, or a temporary modem connection, or other communication means.

-15-

Again, this can be done through commonly available hardware and/or communication software. The up-loading/down-loading techniques are collectively illustrated by the dashed line designated 204.

Once the application is designed on the host computer 202 and downloaded therefrom to the satellite computers 10A-10N, the application is executed by a run-time program stored in the satellite computer 10A-10N. The satellite computers 10A-10N preferably use the same operating system as the host computer 202, and the run-time program is used to input data specified and formatted by the downloaded application designed by the application generator.

In normal operation, for instance, with the application stored on a floppy disk, the floppy disk 27 is inserted into the disk drive 26 of the satellite computer 10A-10N and the machine can be turned on. Then, the computer 10A-10N will go through its normal boot up process, which does internal verification to make sure all components are functional and automatically brings up the application, ready to use. The user at this time can start entering or correcting the appropriate data for that application and store the data in memory in the satellite computer 10A-10N. After all data is collected for that application or after a preselected period of time, the user transfers the collected data back to the host computer 202 where it is uploaded into a host database. The host computer 202 used to generate the application can be the same as the host computer or to which the gathered data is uploaded, or the latter can be a separate host computer used for data collecting and processing, for example, in operations within a manufacturing facility or other facility. As such, an application generating computer 206 is provided down-loading a designed application to either host computer 202A or to the

-16-

satellite computers 10A-10N.

c. Data Collection Application Generator

FIGURE 5 shows a block diagram of the computer-aided, interactive process 300 for application generation. The process is designed to provide a series of options which are selectable by the application designer. The computer 202 responds to the selection by implementing the selection and storing the result, or offering sub-options for further selection by the designer. This process repeats for each question/answer pair to be included in the application.

Of the several initial options in the application generator 300, a SCREEN GENERATOR 302 is used for designing and maintaining the data collection screens. It has seven sub-options: CREATE AND EDIT 302-1 which is used for actually creating and editing of the data collection screens; PRINT 302-2 which is used for printing out the content and layout of the data collection screens; COMPILE 302-3 is used to compile the data collection screens during down-loading to the computer 10A-10N; TEST 302-4 is used to test the validity of the data collection screen design, e.g., by using a test data collection problem to assure proper functionality; PERSONALIZE 302-5 is used for personalizing the data collection screen to a particular user; DOWNLOAD 302-6 is used to download the data collection screen and associated libraries to the computer 10A-10N.

Another option of the application generator is LIBRARY MAINTENANCE 304, which is used for creating and maintaining libraries which are pertinent to the data collection screen. Within this option are several sub-options: SEQUENTIAL LIBRARIES 304-1 is used to create sequential library, which are

-17-

lists of information; CONSEQUENTIAL LIBRARIES 304-2 is used to create consequential libraries, which are lists of information similar to sequential libraries, but having actions associated with one or more entries in the list, HELP LIBRARIES 304-3 are libraries that are maintained for each question which give the user a further explanation of the question or the nature of the answer being sought.

The next option of the application generator 200 is SYSTEM SET-UP 306. Within SYSTEM SET-UP option 306 are again multiple sub-options: Organization Name 306-1 inserts the name of the company for which the data is being collected, Sub-option 306-2 is used for setting the padding character, i.e., the character that shows up in the answer field of the data collection screen, e.g., a full block character, a period, etc., set-up 306-3 allows the setting of the color attribute for the application, i.e., the color sets showing up on the screen at different areas of the application.

FIGURE 6 is a detailed representation in block diagram form of the screen generator 302 of FIGURE 5. Of the sub-options 3021 through 302-6 described above, only those offering multiple user-selectable functions need to be further described in more detail.

CREATE AND EDIT 302-1 includes NEW which creates a new data collection screen, MODIFY which modifies a current data collection screen which is on file, DELETE which deletes a data collection screen which is currently on file, PAGES which designs the data collection screen with a full page editor. FIND which finds a specific data collection screen that is currently on file and brings it up for display. COPY which copies from an existing data collection screen into a new data collection screen, and BROWSE which lists the files of all data

-18-

collection screens available for selection of an appropriate one for calling.

PERSONALIZING 202-4 offers NEXT which gets the next data collection screen on file in memory, PREVIOUS which gets the previous application on file, ADD which adds personalized information to a specific screen on file, MODIFY which modifies personalized information to a specific screen on file, DELETE which deletes personalized information on a screen on file, CONSTANT which inserts constant information that will always show on-screen regardless of the data gathered during execution of the application, LIBRARIES which personalizes a library for a specific user, FIND finds a personalized screen for a user on file, BROWSE lists all personalized screens on file for selecting of an appropriate one.

FIGURE 7 illustrates the devices available for the design of data collection screens using a page designer based around the standard word processing functions found in commonly used word processors, including a page editor with full cursor control. In addition, there are certain functions which are specific to the invention and will now be described. Alternate G is the GRAPHICS MODE. The GRAPHICS MODE is important for creating data collection screens, by controlling the drawing or painting on screen of a line or a frame. If the line option is selected it allows the drawing of lines on the screen using cursor control, either a full line or a dash line, in the appropriate direction. The DRAW FRAME allows the drawing of boxes or touch points or buttons on the screen. These, again, are user selectable, and disposable on screen at whatever location is desired. Boxes are mainly used in designing multiple choice questions. Alternate LOOP DEFINITION allows the defining of a looping structure on the data collection screen. For example, when using a data collection screen,

-19-

questions one, two, and three can be sequentially answered, and then question four, five and six form a loop meaning that these questions require sequential responses that have to be repeated in sequence.

The F5 MODE offers several alternative data types, i.e., the nature of the answer or data to be entered, including character, numeric, multiple-multiple choice, etc. It also establishes the input type, indicating where the information will be coming from, such as a library, electronically simulated (QUERY or Alphanumeric) keyboard appearing on the touch screen, or scale (i.e., an "x" or other character sliding on a bar in response to touching the touch screen), etc.

More specifically, character data types basically involve straight character input. The length of the screen is defined, i.e., the number of characters by the number of lines that the user is allowed to input for a particular answer. NUMERIC INPUT allows entry of numbers only. The MULTIPLE CHOICE ANSWER function can be defined in two ways. First, a single response can be selected from a finite list of possibilities displayed on the screen. Second, MULTIPLE-CHOICE, MULTIPLE-SELECTION permits multiple responses to be selected from a series of choices given to the user on the screen. SCALE can be considered suitable for a "gut feeling" answer. A scale or bar graduated, for example, from 1 to 10 has a movable marker which moves in response to movement of a user's finger across the bar. This is particularly useful in opinion-oriented answers, such as "Do you like...". A date field, a time field a phone field, and a report field (essentially similar to the character field except it allows for unlimited text input) are also provided. Finally, chronometer time field, is used in designing data screen applications that deal with sports or operational efficiency

-20-

applications, for example, for timing lapse.

After defining the DATA TYPE, the INPUT TYPE selects the device to be used by the computer user when gathering data. There are four possibilities: 1) entering text on a keyboard (alphanumeric keyboard, QWERTY keyboard, or numeric keypad), 2) selections of entries from a sequential library, 3) selection of entries of a consequential library, and 4) selection entries from a file.

FIGURES 8A and 8B are more detailed block representations of the PERSONALIZE function 302-5 from FIGURE 5, whereby an application is personalized for any user. There are several suboptions: NEXT which gets the next application on file, PREVIOUS which gets the previous application on file, ADD which adds a user to an application, MODIFY modifies the user information within that personalized application, DELETE which removes a user from that personalized application, CONSTANT which basically is a sub-function of the personalize option which allows constant information that does not change on an answer by answer basis to be continuously displayed on the data collection screen. Continuing on FIGURE 8B, LIBRARY attaches libraries to a specific user's identification, i.e., stores the personalized libraries in memory locations indexed and accessible by user identification. In this way, the user will have available both personalized libraries, (that is, libraries which are only available to a selected user) and generalized libraries for the application that are automatically downloaded to all users. FIND searches through memory using user's identification, and brings up the personalized information for that user. BROWSE lists the personalized files for all users for selection of the appropriate one to call-up to screen.

-21-

The CONSTANT option deserves further explanation. It includes several sub-options, including NEXT which permits entry into the next constant field for a selected user, PREVIOUS which calls up the previous constant field for a selected user, ADD which adds a new constant for a selected user, MODIFY which modifies a constant field for a selected user, DELETE which removes a constant field for a selected user, FIND which allows us to find a constant field for a selected user and brings it up on screen, and BROWSE which lists constants for a selected user.

To simplify data entry by the computer user, the application designer or the user can display constant information for each one of the answers on the data collection screen-- i.e., information which always remain the same for all screens. For example, in a parking infraction application, a policeman's name or badge number remains the same, so these answers can be identified as constants and automatically will come up on the all screens for the particular user/policeman. As such, the user need not enter that information repeatedly and these questions are jumped over during running the application, unless those constants are overwritten by the user.

The LIBRARY option of FIGURE 8B allows the personalization of libraries for individual users. There are several suboptions, including NEXT which displays the next library for the selected user, PREVIOUS which displays the previous library for a selected user, DOWNLOAD which allows the marking of libraries for downloading for a selected user (i.e., as the libraries are being personalized on a user by user basis, the personalized diaries can either remain on file as dormant or can be marked to be downloaded for a selected user), "sublibrary" which displays personalized sublibraries for

-22-

particular users (i.e., libraries can be nested one within the other with e.g., two levels of nesting permitted-- the main library and personalized or general sublibraries beneath it).

FIGURE 9 further illustrates the LIBRARY MAINTENANCE option of the application generator of FIGURE 5. This option involves the maintaining and updating of information in a library. Within library maintenance are several sub-options: sequential libraries, consequential libraries, help libraries, syntax The sequential library entails: NEXT which displays the next sequential library available on file, PREVIOUS which displays the previous sequential library available on file, ADD which allows the creation of a new library type to be added to the file, MODIFY which modifies a current library that is on file, DELETE which removes a library from file, CONTENT which adds and modifies the actual content of the information within the library (whether single column or multi-column libraries), FIND which finds a specific library and brings it up to the screen, and BROWSE which lists all libraries.

The subfunctions of the consequential libraries 304-2 are similar to the subfunctions found in the sequential libraries, except for the content.

Within CONTENT for consequential libraries of FIGURE 9 there are two sets of fields, a data field for the data entry of the library similar to entry fields in the sequential library, and an extra field, which is an ACTION field. Based on the choice of a consequential library that is selected on the touch screen, the content of the data field will be loaded into memory as the answer to that question and the content of the action field for that entry will indicate a specific action for the computer to take based upon that selection, e.g.,

-23-

branch, jump, goto or loop. For example, the action may require answering questions 9 through 12 out of sequence. After the action is completed, the application typically returns to the next question after the one A further option is the HELP LIBRARY (4-3. HELP LIBRARIES are maintained and/or customized on a user or application basis. Within this option are suboptions which are analogous to those discussed above; i.e., "next", "previous", "add", "modify", "delete" and "quit".

The syntax library 304-4 also has analogous options to the help library, as does the pictogram library 30405.

FIGURE 10 shows the SYSTEM SET UP options in greater detail. ORGANIZATION NAME 306-1 allows the application developer to enter the company name for which a particular application pertains. SET PADDING CHARACTER 306-2 defines the character that shows up on the answer field to indicate that input is required. The SET COLOR ATTRIBUTE 306-3 selects the color attributes for the browse, help and data entry screens found within the application generator.

d. Data Collection Application Execution

FIGURE 11 is a flow diagram of the run-time process 300 by which an application is executed. When the computer 10A-10N is turned on, automatically its operating system is loaded in and the run-time process commences. Upon starting of the run-time process, the first task is to establish environmental parameters (block 302), e.g., identify the type of keyboard the user has selected for use on the touch screen, whether sound should be activated on the touch screen, etc. "Type of Touch Screen", the next block 304, differentiates between the type of computer performing the application, i.e., whether it is a satellite computer 10A-10N, a host computer or other type.

-24-

"Load Definable Option" (block 306) has several sub-options which are defined by the user himself. User definable options, for example, include the DOS path name under which the data is located on the disk. Another option is for automatic progressing through the application, i.e., after an answer or response is entered, the cursor either automatically goes to the next question or waits for the user to so indicate. The next block, "load in application" (block 308), loads in the application which the computer is to run. During this loading process, several steps are being done, for example, the application screen is being formatted, the answer information and answer types are loaded, including libraries, and looping information is also loaded. The next block deals with the touch screen. Here, the touch screen is enabled or activated to ready it to receive responses.

The next block starts the loop procedure 312. The loop procedure's main function is to go to each question on the data collection screen one by one, interact with the user to get the information, validate the information, and return to the beginning of the loop or exit. Within this loop there are several functions being done. The first block 304 is the "display status line". The status line is a displayed line with a plurality of electronic or simulated buttons (i.e., fields on the touch screen) that are activated by a touch on the screen. These buttons serve the purpose of controlling the flow of information within a data collection system. For example, a "next" button pulls up the next record that is in the computer, a "previous" button, and an "add" button that adds information or new data within the data collection screen.

The "Ask question" block 316 displays a first subject for which a response is required, which is typically referred to as a question. On the first path, the question asked is the

-25-

first one, on the second path it will be the second question, etc. (It should be clarified that this refers to the logical order, as opposed to positional order of the questions on the screen.

Once the question is responded to, or during the time the question is being responded to, the next block 318 decodes the touch screen to generate an electrical signal corresponding to and uniquely identifying the response, and block 320 parses the questions by type, i.e., determines whether the response is being entered through keyboard entry, through library entry (sequential or consequential libraries), through selection of multiple choice fields, etc.

Once the information is complete, the question is parked depending on the field type that was defined. Parking the question by field type basically takes the answer that was given by the user through the touch screen and verifies that it is a valid answer for that type of field, (e.g., character, numeric, multiple, etc.). Parking is done based on the type of field that was indicated at the time of application design, and if for any reason it does not match with what the user has punched into the touch screen, then the application loops for the correct information.

The next block, which is a decision block 322, checks to see if there are any more questions within the application. If there are more questions to be asked, it loops back, and goes through the loop again. If there are no more questions to be asked, i.e., all data collection screens in the job are totally filled in, then the user can decide on saving the data collected on the screen at that time (block 324), reviewing the data that was entered (e.g., to correct mistakes that have been entered) (block 326), or starting over without saving the record

-26-

(i.e., the information is useless and should be cleared and redone) (block 328). The last block 330 in this decision is end of application. At this time the user can terminate the application.

e. Further Explanation of Selected Features

Certain features of the application generator and run time program will now be explained in greater detail.

(1) Consequential Libraries

The format or representation of consequential libraries on a data collection screen is essentially the same as a sequential library. The user does not see any difference between them. Both appear as lists of entries in a single column or multi-column form. However, within the run-time process there is a major difference-- the consequential library includes data and action fields.

During the application design stage, the application designer can introduce an action attached to one or more entries, or, for that matter, each entry in a consequential library can have a corresponding action. When the user at the time of input on the touch screen selects a specific consequential library entry from the displayed list in the answer field on the screen, an action is returned with the selected entry. The entry is stored as data. The action is then decoded and executed. The action, for instance, can be a "goto", i.e., a jump to a separate screen to process a subcategory of questions related to that library entry. For this, when there is a downloading of the consequential libraries, a sequential list of library entries is downloaded along with the transfer of the associated actions to be

-27-

executed during the run-time process. The action which is to be executed can also be in the nature of a loop or branch. When the jump or loop or branch is fully executed, then the system automatically returns to the next logical question after that consequential library entry was selected.

For example, where the question asks for an identification of sex, two possible answers are male or female. This could be on a library selection where "male" or "female" shows up on the screen. Subquestions may depend on the answer given to this question, i.e., subquestions for the male category, subquestions for the female category. These subquestions can be set out on separate screens, e.g., on screen number two and screen number three respectively (e.g., "What barber do you use?" can appear on screen number two, "What beautician do you use?" on screen number three) If the response "male" is selected, then the action associated with that entry, for example, would be to jump to screen two for responses to the subquestion related to the answer "male". Once that question is answered, the system automatically returns to the next logical question after the "identification of sex" question.

2. Help Function

Often in data collection systems, the help function is a short statement appearing on the beginning of the application, or explaining each type of answer and, e.g., being displayed on the bottom of each screen.

In the present invention there is provided a full text of user instructions for each question on the data collection screen. At the application design stage, the designer, for example, will prepare help messages or text relating to each

-28-

one of the questions on the data collection screen. Anytime the user is inputting a response for a specific question, all the user has to do to obtain help is to hit the help button on the touch screen and, automatically, text will pop up on a window and explain, for example, what the nature of the answer should be, or the reason for the question on the screen.

3. Cross Referencing

Cross-Referencing imports that, for each answer field, the entered response can be related to a library to determine if the response in the answer field is existent in the library. In other words, the answer information is cross-referenced against that specific library. If it is available in that library, then, corresponding to that library entry, an action is executed. For instance, the associated action can involve an overlay window that alerts the user of the fact of the match with the library entry, or displays the contents of an information field stored in association with that entry in the memory. The user can then avail himself or herself of that information to make a decision or for whatever other purpose. Thus, cross-referencing results in the typical situation with the display of information.

4. Spread Sheet

This feature allows an application designer to set up a row/column data collection application on the run-time system. Typical usage of this would be, for example, in expense reporting for a salesman. In such an application, for example, across the top of the display is set forth each day of the week and down the left of the screen are is the different expense types to be reported, e.g., travel, meals, lodging. An expense can be entered into the appropriate column and row, for

-29-

example, lunch on Wednesday. The dollar amount expended for that lunch is automatically tallied-- it is added to the current amounts on a net window and is also totalled to the bottom or the right of the screen to show the total amount spent for lunches for that week. To do this, a spread sheet definition on the data collection screen is provided so that the system knows where to add or subtract the information from the collected cells of the defined matrix or array of possible entries.

5. Pictogram Library

The pictogram library is used to store graphical images of objects. A user can select from the pictogram library entries displayed on the screen in graphical images by touching the appropriate displayed pictogram entry.

6. Syntax Library

A syntax library allows the application designer or the user to change the syntax that is being used in the run-time process. Basically, run-time uses a pre-defined syntax which are standard messages that are displayed on the screen to interact with the user. The user or application designer might want to change these messages which can be done going into the syntax library by touching the appropriate button on the screen. The user or application designer can type the desired messages on the screen using a simulated keyboard display.

7. Constant Function

The constant function allows either the application designer or the user to set up certain answers on all screens-- i.e., all screens pop up with certain information pre-set on

-30-

them. This saves time in entering the constant data onto the screen. The constant information is tagged with an ID. This ID is used at the time of upload and download of the constant information. At download time, the user ID is read from the floppy disk or the RAM pack and all user personalized information is then transferred down to the floppy disk or the RAM pack. In the case of an upload, the same situation applies, if uploading information or data collected from the floppy disk or RAM pack into the host computer, the host system would verify or the upload program would verify the ID, upload the data collected and then, based on the ID- would verify if there were any changes done locally to the libraries on the satellite machine by the user. If there were local changes, e.g., new library entries or promoted information within the library, the ID would be used at upload time to update the libraries in the host computer to keep its libraries in par with those in the satellite machine.

8. Personalization

Personalization is a feature that allows us the user to personalize information that is pertinent to the specific user within the data collection screen. Once the data collection screen is designed it might be in use by multiple satellite computers in the field. It is always the same application data collection screen that is available to the user, but the libraries that pertain to that user can be personalized to account for differences in the area in which the user is working or the user's own preferences. The system designer or user personalizes the libraries. Among the benefits this offers is that the user is not overburdened with library information that is not needed by that user.

9. Multiple-Choice, Multiple-Section

-31-

The multiple choice questions are employed by conventional data collection devices. These questions seek and permit only a single response. The present invention employs a multiple choice/multiple selection questions. For example, in the restaurant business where a waiter or waitress is asking a customer for his food order, a multiple choice answer, might be hamburgers, hot dogs, soft drink, milk, coffee. The customer can select hamburger and coffee. All the selections are stored in fields corresponding to the single question being asked.

10. Miscellaneous Features of the Run-Time

These include library modification and promotability of entries on screen. Often in data collection application using libraries of possible responses there are more commonly selected library entries. For example a multiple page library may have entries on page three which are usually selected. It becomes a burden on the user to always page down to the third page to select the entry every time he has to use that library. In accordance with the invention, the user can rearrange the library entries to promote or demote selected entries. For, example, the user can go down to page three, select the entry he wants to promote, and then hit a "move" button. That entry will be automatically promoted to the first entry in the library. The next time the library is displayed for that question, the promoted entry will show up on the first line of the library, and it will be faster to respond to that question.

Another situation that happens in the field is that insufficient entries are within the library. The application designer can only foresee so many possible responses so certain ones may be missing. In accordance with the invention, the user can add new entries into the library so that the next time

-32-

the library is called up for that questions, the information will be available automatically. The user can then simply touch the entry to record his response, rather than having to type it in, using a simulated keyboard.

For both of these library field modification, the corresponding libraries on the host is automatically updated the next time the collected data is up-loaded. The ID that is tagged onto the floppy disk or RAM pack is used to identify the host library, and each satellite library is cross-verified with the libraries on the host computer at up-load. If any modification has been performed in information those libraries, then the host library updated to reflect the modifications for that user.

FIGURES 12A through 12F shows various illustrative interactive screen displays from an exemplary data collection application entitled "Parking Infraction Application" It is the type of data collection application which a traffic policeman would use.

FIGURE 12A shows the starting screen for execution of the application. The officer's name and badge number are preferably constant fields. The date, time and ticket number are filled in. Assuming a new infraction is to be entered, the add button is pressed.

FIGURE 12B shows the next screen of the application. It calls for an identification of the state issuing the license plate on the vehicle. The required information is entered by touching the appropriate active target of the screen enclosed in one of the illustrated frames.

In the screen depicted in FIGURE 12C, the vehicle year

-33-

is entered by pressing the appropriate frame, and other information concerning the vehicle is entered, for example, by using a simulated keyboard.

FIGURE 12D shows yet another screen. Here, instead of using the simulated keyboard to enter the model, a window is opened containing a library of possible models. Any of these can be pushed by touching the appropriate point on the screen.

FIGURE 12E seeks further information concerning the information, and can be completed using one or more of the abovedescribed data entry devices. The infraction code is contained in a displayable library shown in FIGURE 12F. One a code is selected from the library of FIGURE 12F, the code field, the description and the fine are automatically entered on the FIGURE 12E screen. To further clarify the application generator process, appended hereto and made a part hereof is an illustrative application generation guide.

f. Carrying Case

Figures 13 and 14 show an optional carrying case 400 for the portable computer 10, preferably made of leather or similar material. The carrying case 400 has a receptacle portion 402 for snugly receiving the portable computer 10 in a protective manner. A re-sealable flap 404 can be used to close the receptacle portion 402 after the portable computer 10 is inserted therein, and/or is otherwise provided for purposes to be described shortly. The flap 404 forms a flat loop of material which is attached at one end to the receptacle portion 402, provided with a snug connector at its other end to releasably secure that end to the receptacle portion 402. Also provided is a carrying strap 406. The carrying strap 406 is secured at each of its ends to the receptacle portion 403

-34-

nearer the top side of the computer housing. The flap 404 is disposed proximate the bottom side of the computer housing.

Of course, the carrying strap 406 can be used as a shoulder strap to carry the portable computer 10. However, this arrange is specifically adapted for ambulatory use of the portable computer 10 as illustrated in FIGURE 14. For such use, the carrying strap 406 is placed around the neck of the user with the portable computer comfortably located for use in front at waist height. The user places this belt 408 through the loop of the flap 404. Thus, the portable computer is suspended from the user's neck and maintained substantially horizontal or slightly tilted at an appropriate angle for use by the three point action of the ends of the strap 406 and the user's belt 408. In this fashion, the user has both hands free to use the portable computer 10 while he stands or walks about.

It will thus be seen that the objects set forth hereinabove, among those made apparent from the preceding description, are efficiently attained. Also, certain changes may be made in the above-described construction without departing from the scope of the invention.

Therefore, it is intended that all matter contained in the above description or shown in the accompanying drawings shall be interpreted as illustrative and not in a limiting sense. It is also to be understood that the following claims are intended to cover all of the generic and specific features of the invention herein described and those made obvious herefrom.

-35-

APPENDIX

ILLUSTRATIVE APPLICATION GENERATION GUIDE

CHAPTER 1: THE BASICS1.1 THE SYSTEM

The system consists of three entities: DataSlate TM, MagicSlate TM, and Datellite TM. The first two are software, and the third is hardware. DataSlate is used to design applications from scratch. This chapter introduces the fundamentals of DataSlate. MagicSlate runs the final compiled versions of the applications on Datellite's touch-screen. Datellite is a keyboard-less MS-DOS computer equipped with a 3 1/2" disc drive. You also have the option of attaching an external hard disk, your own video, bar code reader, telephone modem -- anything you can attach to any micro. Adding your own screens or keyboards gives you a regular PC. Application designers will be primarily concerned with DataSlate.

1.2 WHAT IS AN APPLICATION?

The basics of designing applications can be summarized in the following single sentence: "The application is a series of multiple-choice questions."

For example, Figure 1.1 below presents a simple, two-question application which might be used in a survey to determine the percentage of males and females who own computers:

-
- | | | |
|------------------------------------|------|--------|
| 1. What is your sex? | Male | Female |
| 2. Do you own a personal computer? | Yes | No |
-

Figure 1.1

-36-

Since Datellite employs a sensitive touch-screen, the person using your application selects answers to the questions with the simple touch of a finger on an active area which is delineated by a frame on-screen.

1.3 ELEMENTS OF AN APPLICATION

An application consists of the following elements:

- Pages and Answers

A page is a standard screen consisting of 25 lines each with 80 characters. Each page contains questions in the form of simple text and corresponding answer fields such as in Figure 1.1. You simply type in the questions which are, in actual fact, ignored by DataSlate. The answer fields, however, are the crux of the application, and are covered in Section 1.4.

- Libraries

Some questions may have a large number of possible answers, such as the question, "Which state do you live in?". You wouldn't want to type in the 50 states enclosed in frames because for one thing, there would not be enough room on one page. What you would do is store the list of the 50 states in a library. Libraries are the subject of Section 1.5.

1.4 ANSWER FIELDS

Once you type in the question to be answered, you then define an answer field to accommodate the reply to be entered by the user.

DataSlate TM has the following eight answer types available:

- "Character" for character string answers;
- "Multiple", for answers to be shown on screen as choices inside of square frames (as in Figure 1.1);
- "Numeric", for answers that are to be strictly numbers;

-37-

- "Scale", for questions that beg more indefinite "touchy-feely" answers. For example, consider the question 'Condition of Auto', where approximate answers would be entered by sliding an "x" along a scale with "Wreck" and "Mint" at each end.

- "Date", "Time", and "Phone", for answers that are to be of those forms; and

- "Report", for answers requiring several lines of text. Depending on which answer-type you choose, there might be values to assign to various parameters.

For example, consider the question "Year". The answer type, taking the example of the car, would be numeric. Some of the parameters for this answer-type include its format (how many digits permitted in the answer?), the range of years over which the response would be accepted as valid, and whether a library is to be accessed.

1.5 LIBRARIES

DataSlate TM's Golden Rule: Avoid keyboard-oriented answers!

The reason d'être for DataSlate TMs is to make computers easy to use for everyday people and especially computerphobes, and computerphobes are largely keyboard-phobes. The way to avoid the use of the keyboard in any given application is to make frequent use of libraries. In the car example, the question "Year" asks for the year in which the car was built. Instead of having the user call up the keyboard and type in '1', '9', '8', and '9', a library consisting of entries '1965' through '1989', say, could be displayed instead. The user would then select the appropriate year from the list on-screen with the touch of a finger.

There are three types of libraries:

- the Sequential libraries (and their sub-libraries),

-38-

which hold lists of answers and perform no subsequent function;

- the Consequential libraries, which hold lists of answers and can affect the flow of the application. That is, the next questions asked are dependent upon the previous answer selected. For example, consider the question "Which state do you live in?" If the user answers "New York" to this question the application would then switch to an area that had questions and answers specific to New York. If, however, the answer is any other state, the New York questions and answers would then be inappropriate and therefore not come up on screen.

- the Help library, which contains all of the Help messages that you create for you end-users.

1.6 LOGICAL FLOW OF APPLICATION

The logical flow of your application is controlled by a parameter common to each answer field: the GoTo parameter. This parameter determines the next question to be asked in the application. Each question is also assigned a Sequence Number used by the GoTo parameter.

In the example of Figure 1.1 above, question 1's GoTo parameter would be simply "Next Question". Question 2's GoTo parameter, being the final question of this short application, would be "End Program."

1.7 THE POP-UP KEYBOARDS

Some questions will require input from a keyboard. For these question, the Datellite TM comes equipped with a keyboard that is produced on-screen for the time necessary to enter the answer. The user keys in the answer on the touch screen, and then the keyboard disappears until needed again. By the way, two types of keyboards are available for the end-user to choose from: QWERTY for those familiar with a typewriter keyboard, and ALPHA for those who are not.

-39-

CHAPTER 2: DESIGNING AN APPLICATION

By following the steps outlined in this chapter, you will create an application using DataSlate.

2.1 THE APPLICATION

Consider the situation where a survey of different residential districts is to be performed. This analysis might call for the following information to be recorded relative to each household visited:

- the district name;
- the age, gender, and job status of each adult living in the household;
- the number of children living in the household; and
- the general condition of the property.

2.2 A NOTE ABOUT QUESTIONS AND ANSWERS

The first step in designing an application is comprised of drafting the questions and defining the formats for their answers. What you must be aware of here is that we are using the term 'question' quite liberally. When we say 'question' we mean literally any kind of text because, quite simply, DataSlate TM does not take this text into account. Questions are only for the benefit of the user. For example, we can format multiple choice answers in such a way that no question-text is required. Figures 2.2 and 2.3 below illustrate this important point.

Gender: Male Female

Figure 2.2

In this example, the question is implied in the multiple-choice answers presented, and no one would have any difficulty in ascertaining that the question was "Gender:"

-40-

if, as Figure 2.3 shows below, the question-text was eliminated.

Male	Female
------	--------

Figure 2.3

Now, let us proceed with the design of our application. You may have realized that we have already drafted one of the questions of our application, the gender of an adult living in the household. If you have not already done so, bring up DataSlate TM's main Menu by entering the command DATASLATE at the C| prompt in your root directory.

2.3 IMPORTANT KEYS

Before going any further, we should tell you about some of DataSlate TM's most important keys:

F1| --| The F1| SKIP-INPUTS key is used to skip an entire set of input parameters and move on in the program. It has the same effect as pressing RETURN| as many times as there are parameters left to answer, basically skipping over them all automatically.

F2| --| The F2| HELP key can be used practically anywhere to call up Help text about the section of DataSlate TM you happen to be in at the time. This Help text is displayed in convenient windows, and there may be one, two or three windows of such text. The first window is generally a hint screen. If you need more detailed information go to ensuing screens (if available) by pressing F2| repeatedly. Pressing any other key will get you out of the Hint or Help text and back to where you were prior to pressing F2|.

F4| --| The F4| EXIT key is used to exit various sections of DataSlate TM, such as Loop definition, Library building, and the Page Designer.

ESC| --| Pressing the ESC| CANCEL key will cancel any

-41-

function you are in at the time you press the key, and where applicable, will also return you one level back through DataSlate TM.

ARROW|'s --| You may use the ARROW| keys to maneuver your cursor among DataSlate TM's input parameters. Whenever there is a set of inputs on screen, the ARROW| keys can be used to move the cursor among the various inputs. They are used to skip inputs or to go back to an input and correct what you've just entered.

2.4 DESIGNING THE APPLICATION

Now choose an option from the Main Menu on screen. The way to do this is to scroll the light bar into the option you wish to choose using the ARROW| keys, and press RETURN|. Another way is to simply enter the corresponding number of the option.

The option you want to select is "1 - Application Generator". This is the Application Generator Menu. The first option, "1-Create/Edit", is to be chosen to begin designing our application. Select it by pressing RETURN|.

CREATING THE EMPTY APPLICATION

The "Create/Edit Applications" screen should now appear. The eight-option menu near the bottom of your screen contains the option "New". The light bar is already positioned on it, so simply press RETURN| to register this option as your choice.

A cursor appears next to the label, "Application Name". The space that the cursor is in is called a parameter, which currently has no value. Enter the name of your new application "Survey" here and press RETURN|. Next, skip over "Application Type" for this demonstration (by pressing RETURN| over the word "General"), and enter your own name in the "Author" parameter.

-42-

The "Creation Date" has already been filled in for you (using your operating system's value), but you can change this to any date you wish.

The "Description" parameter is there to briefly comment on the purpose of your application and is used to further tell this application apart from others. You may enter something like, "Survey of persons living in households in certain districts" to describe this one.

We'll ignore the remaining parameters as they pertain to the eventual distribution of the application. Press the SKIP-INPUTS key F1| to get out of this editing state and back to the eight-option menu. The F1| key can be used like this whenever DataSlate TM has many input parameters for you to do but you have nothing to enter, as in our case here.

If you've made any mistakes, select the option "Modify" to re-edit the above parameters. Remember that whenever you use the option "Modify" (as well as "Delete" and "Copy"), there must be an application displayed on screen, or else you will get the error message "***No application available". In such a case, use the UP-ARROW| and DOWN-ARROW| keys to scroll through and display existing applications, or select the "Find" option and key in all or part of the application's name that you wish displayed.

Having created the identification for our application, we now need to create the actual questions and answers, and to do this we need the Page Designer which is accessed by the option "Pages".

THE PAGE DESIGNER

The light bar should already be positioned on the option "Pages" (this is automatically done after a new application is created). Select this option by pressing RETURN|.

Generally, applications consist of a number of sequential pages, with each page consisting of 20 lines. We'll fit this application on one page. The top 20 lines of the Page

-43-

Designer is where our application will be designed. The last 5 lines are status lines belonging to DataSlate TM and used for various counters and messages. One feature of the Page Designer is a basic word processor, and whatever we type here will be displayed to the user in exactly the same form. Knowing this, we can begin the design of the actual appearance of our application with the introduction of the function key we will be using the most: F5|, the Answer Formatter. We will use this key to access the Answer Formatter which we will use to define the formats for our answer.

THE FIRST QUESTION

Now, let's define the first question. Let's say the first piece of information required in the survey is the district name. We first word the question so the user will know what is to be entered. The question's wording is kept simple and obvious: "District:" will do just fine. Type this in on the first line of the Page Designer. Do NOT press RETURN| because we wish to place the answer field right next to the question (look ahead to Figure 2.9 to see what our goal is --but don't worry about centering the question on screen yet!).

Next, we want to define the answer to the question. Place the cursor exactly where you want to position the answer (say, two spaces after the colon next to the word "District"). Now, press F5|.

THE ANSWER FORMATTER

The "Answer Formatter" window will appear. There are 3 parameters to define here: Answer Name, Question Sequence number, and Answer Type. Assuming that you did type in the word "District" a minute ago, you will find that the Answer Name has that value already. If not, type in "District" next to the "Answer Name" label. Whatever the case, press RETURN| to proceed to the next parameter.

-44-

You will find that the Question Sequence number has the value of 1, since this is the first answer you have defined. This number is used to determine the order of questions asked. Therefore, the question "District" will be the first question asked during the survey because its Question Sequence number is 1. Press RETURN| to accept 1 as the Question Sequence number and to continue to the third parameter.

"Answer Type" consists of an eight-option menu of all possible types. As in all menus, the light bar is controlled by the ARROW| keys. The answer to the question "District" is to be of type character. After making sure the light bar is high-lighting the option "Character", press RETURN| to register it as our choice. Eight more parameters will appear in a second window. We assume that no district's name shall be more than 20 characters in length. Enter 20 in the space next to "Characters per Line" and press RETURN|. We will only need 1 line of 20 characters, and so just press RETURN| next to "Lines" since the number 1 is already there.

LET'S USE A LIBRARY

Press RETURN| seven times now to skip down to the "Entry Method" parameter. (If you pressed RETURN| too many times causing you to exit this second window and have returned to the Page Designer, place the cursor inside District's 20-character long answer field on-screen and press F5| again to re-edit this window.)

The "Entry Method" parameter is where you define the method in which the user can enter answers. The word "Keyboard" is written there now, but we don't want the user to bother with a keyboard. Instead, we will later create a list of possible answers that we will display to the user for him or her to choose from with a touch of a finer. This list is called a library.

-45-

Look at the very bottom line of the screen. It says to press the SPACEBAR| to see the available options. Well, press the SPACEBAR| twice. Did you notice that "Entry Method" changed from "Keyboard" to "File" and then to "Library"? "Library" is the option we want. Press RETURN| to register this as our choice.

A third window pops up. This is where we must decide on which library the user is to choose a district name from. To make things easier for us to remember later on, let's name the library with the same name as the answer it will be associated with. Enter "District" as the name of the library and press RETURN|. The library is now created, but it is empty (we shall build it later).

When this question will be asked, there could be cases where the library won't contain the district name the users wants to enter. In such a case, we could permit the user to type in this district name which isn't in our library. This is what the "Allow User Keyboard Input" means. Set to "Yes" using the spacebar once again, the user will have the choice of selecting a district name from the library or typing in his or her own. Set to "No", we restrict the user to choose a district from our library only. For our application, enter "HO" in this parameter and press RETURN|.

Now all three windows disappear and we are back in the Page Designer. Notice that our answer has been defined and is displayed on screen. The answer field is displayed using what is referred to as padding characters. All answer fields, regardless of type, will be displayed using padding characters.

If you've made any mistakes in the Answer Formatter, make sure the cursor is inside "District"'s answer field and press F5|. You may then re-edit any parameter in the second and third windows.

CENTERING

-46-

Once you are back in the Page Designer, the final function to perform is to center our first question and answer. First press the ALT| key and then hit the letter C, keeping the ALT| key depressed at the same time (this will be represented as ALT-R| from now on). Your screen should look like this:

```

-----
                        District:
===== Page: 1 === Line: 1 === Column: 40 === Mode: Insert
=====
F2| = Help   ESC| = Cancel   F5| = Enter/Edit Answer
-----

```

Figure 2.12

THE NEXT THREE QUESTIONS

Next we will want data on the adults; namely age, gender, and employment status of each one. These three can be answered with multiple-choices. Let us define each answer one at a time.

[Notice that the first status line (line 22 at the bottom) contains counters. These counters tell you what page, line and column the cursor is positioned at.]

A QUESTION OF AGE

For the next question, position the cursor at line 4 and column 15. Type in the word "Age:" and skip two spaces. You should now be on line 4 in column 21.

The question "Age:" will be a multiple choice question. The multiple choices will be "18-30", "31-45", and "45 +". Press F5| to call up the Answer Formatter's first window to begin the process of defining these choices.

The "Answer Name" parameter should have the value "Age" and the Question Sequence number should be 2 (as this will be the second question asked). Make sure this is so. Press

RETURN| for each parameter, "Answer Type" is to be Multiple, and so place the light bar on the option "Multiple" using the DOWN-ARROW| key and press RETURN|.

-47-

For now we can simply skip over all of the parameters of the answer type Multiple because their default values are exactly what we want. Press F1| to skip over every parameter.

DRAWING FRAMES

Now, just for a second, refer back to Figure 1.1. Notice the frames that border the multiple choice answers "Male" and "Female"? These had to be drawn, and now this is what we are going to do for each of the responses to the question "Age:".

Your screen now presents you with four styles of frames. Do you see the arrow underneath the first one? Use this arrow to select a frame style you wish to draw with. For our example, we will use the first style, and so just press RETURN| to select it.

Now, since we want to include choices like "18-35" to answer the "Age:" question, we must make certain that the frames we draw are big enough to fit our choices in. In this example, the frame must contain at least 5 characters of horizontal space. Since the left and right borders of the frame will take a space each. This adds up to a total of 7 spaces. The frame, then, must be 7 spaces across. Since you are now in column 21, 7 spaces will bring this to column 27 (when you include column 21). Move the cursor over to column 27. The frame will expand accordingly.

The frame takes up lines 4 and 5. Where will our choice "18-35" be written? We need a blank line inside the frame. Press the DOWN-ARROW| key once. Now the frame takes up lines 4, 5 and 6. We want our choice to be written on line 5, columns 22 to 26.

But don't worry because DataSlate TM will take care of this automatically. All you need to do now is press RETURN| and type in "18-35" next to the parameter "Answer Text" that appears in the window. Press F1| after typing "18-35" to skip over the Return Value and GoTo parameters. The frame of

-48-

our first multiple choice is displayed using the padding character.

[N.B. If, by chance, you have positioned the answer field wrong and you wish to delete it, position the cursor anywhere inside the answer field and press F6|. Answer "Yes" to the warning that makes sure you want to delete the answer field, and press RETURN|. Reposition the cursor, and press F5| again to redefine the answer field as outlined above.]

COPYING FRAMES

Now let's define the two other choices for "Age:". What we are going to do is copy the frame we have just created. Then the window of Figure 2.15 above will appear again for the new frame, and we will enter "36-50". We will repeat all of this again for the choice "50 +".

With the cursor still inside the first answer field of "Age:", press ALT-R|. You are now in the Page Designer's "Copy Answers" mode. All you need to do now is reposition the cursor to where you want the top left hand corner of the new frame to be. If this sounds confusing, don't worry, just follow these instructions: position the cursor on line 4 and column 35 and press F5|. Do you see how the cursor is in the new frame's top left hand corner? Now, we must specify this new frame's "Answer Text", which is to be "36-50", the next age choice. Type this in and press F1| to skip over the other parameters. The second frame is copied from the first and displayed.

[N.B. If you decide to delete this second frame because it is not in the correct position, leave the "Copy Answers" mode by hitting RETURN|. Make sure the cursor is inside the answer field frame and press F6| to delete. Answer "Yes" to the warning that makes sure you want to delete the frame. To redefine it, place the cursor back in the first answer field frame and press ALT-R| again, and proceed as outlined in the previous paragraph above.]

-49-

For the last choice, we move the cursor again to where we wish the last frame to be [we are still in "Copy Answers" mode and will remain so until we press RETURN|]. Move the cursor over to column 49 and hit F5|. Type in "50 +" in the "Answer Text" parameter and press F1|. Press RETURN| to leave "Copy Answers" mode (and notice that the "Mode:" indicator at the lower right of the screen changed from "Copy Answers" mode to either "Insert" or "Overwrite" mode), and we are ready to define the next question.

THE THIRD QUESTION

The next question is gender, and as we have discussed above, there will be no question text for this one. Therefore, we are to position the cursor where we wish the choices "Male" and "Female" to appear.

Position the cursor on line 8, column 5, and press F5|. The Answer Formatter window pops up. Enter "Gender" in the space next to "Answer Name", and press RETURN| twice to register this name and to skip over "Question Sequence #", which already has the correct value of 3. Select "Multiple" as the Answer Type using the ARROW| keys and press

RETURN|. Hit F1| to pass over the Multiple's set of parameters to the frame style selection. Let's be consistent and choose the same frame style as before; press RETURN| to select the first frame style.

A QUESTION OF SIZE

When you draw frames for multiple choice questions keep in mind that, for esthetic reasons, the other choices in the set should have frames of the same size. Therefore, note the length of the choice with the longer text that will have to fit in the frame.

In our case here, the choice "Female" is longer than "Male", and so the frame must be designed with this in mind. Since "Female" is 6 characters long, and the frame itself will take up 2 horizontal spaces, the frame must be at least 8 characters in length.

-50-

Since you are at column 5, move the cursor over to column 12, for a total length of 8 characters (including column 5). Move the cursor one line (not two) down to make room for the text, and hit RETURN| to finish drawing. Enter "Male" for the parameter "Answer Text", and then enter "1" as its return value. Therefore, if the user selects this answer, it will be represented as "1" in the database.

Now we are going to copy this frame for the second choice. With the cursor still inside the field, press ALT-R|. Move the cursor over to column 20 on line 8 and press F5| to copy. Enter "Female" next to "Answer Text" in the window that appears and enter "2" as its return value. Now hit RETURN| twice to leave "Copy Answer" mode, and we are ready for our fourth question.

THE FOURTH QUESTION

The fourth question is the same in principal as the Male/Female question, except the choices are "Employed" and "Unemployed".

Place the cursor at column 47 (still on line 8) and define the fourth question (the answer name could be "Job-Status") using the same procedure outlined above. The frame should stretch from column 47 to column 58, inclusive. The second choice ("Unemployed") should be copied from the first (using ALT-R|) into column 65.

THE FIFTH QUESTION

SOME MINOR BRANCHING

The fifth question is "Children" and uses the same principles as the last three questions, but with a slight twist. This time we will demonstrate the use of branching instructions.

The question gives basically four choices for the number of children in the household: 0, 1, 2, or MORE. Here is the twist: if 0, 1 or 2 is chosen, the user will carry on to the last question of the survey ("Condition of Property"). If,

-51-

however, the user chooses MORE, a supplementary question will be asked with which the user will specify the number of children in the household by choosing from a list of higher numbers (4, 5, 6, etc) that will pop up. After that choice is made, the last question will be asked, and the survey will be complete.

Let us design this question. Position the cursor on line 14 and in column 8. Type in "Children:" and then skip 6 spaces. You should be in column 23 now. Press F5| to create the answer field of the first choice.

The Answer Name is "Children" and the Question Sequence Number is 5. Select Multiple as the Answer Type and press RETURN|. Press F1| to skip over Multiple's parameters, and select the first frame style by pressing RETURN|. The word "MORE" must be able to fit inside the frames for this question, so make certain that the frame is 6 characters long (the frame should therefore start in column 23 and end in column 28). Do not forget to press DOWN-ARROW| once to free one line for the text of the choices. Press RETURN| once the frame is complete. Enter "0" as the Answer Text for this first frame, and press F1|.

Now we simply copy this frame three times for the remaining three choices of 1, 2, and MORE. With the cursor still in the first frame, press ALT-R|. Position the cursor where we want the next frame to be, namely line 14, column 35. Press F5| to copy the frame. Enter 1 as the Answer Text and press F1|. The next frame is to be positioned on line 14, column 47, with Answer Text of 2.

THE GoTo PARAMETER

The fourth frame is copied in the same manner, with a slight exception. Copy the frame into column 59. Type in the word MORE as the Answer Text. Press RETURN| twice to get to the GoTo parameter. Notice that all this time this parameter was always set to "Next Question" as it is now.

-52-

This is what controls the logical flow of the application's questions (see Section 1.6). It indicates what the following question will be. This time, if the user chooses the choice MORE as the answer to the question "Children", we want the survey to ask a supplementary question before proceeding to the last question as it normally would have done. To avoid confusion, let's give this supplementary question a sequence number of 50. The normal course of the application will run from question 1 to question 6. Depending on the answer of question 5 (number of children), question 50 may be asked.

Now then, we must specify that question 50 is the question to go to if the choice MORE is selected. The default value of GoTo is "Next Question". Press the SPACEBAR| twice to change this value to "Question #". Press RETURN|. Type in the number 50 and press RETURN|. It's as easy as that.

THE SUPPLEMENTARY QUESTION, # 50

Press RETURN| to leave the "Copy Answers" mode. Move the cursor over to column 71 on line 14. It is here that we shall create the answer field for question 50. Press F5| to call up the Answer Formatter. The Answer Name to be typed here should be "Child2", for the sake of this demonstration. The Question Sequence number is 50 and this time you must type it in because DataSlate TM was expecting the next question to be defined, which would have been number 6, which we shall do next. Type in the number 50 in its place and press RETURN|. Select Numeric as the Answer Type and press RETURN|.

"Numeric"'s parameters will appear in a pop-up window. Only two parameters concern us here, and they are the GoTo parameter and the Entry Method parameter. Press RETURN| the number of times that it takes to get your cursor down to the GoTo parameter. The current value says "Next Question". The last question of the survey is "Condition of Property", which

-53-

has the sequence number of 6. Therefore, we must go to question 6 after this one is answered. So, press the SPACEBAR| twice to get "Question #" as the GoTo parameter and press RETURN|. Enter the number 6 next to "Question #" and press RETURN|.

Now the cursor should be in the Entry Method parameter. We want to present the user with a list of numbers (higher than 2) from which the number of children can be picked. This list is a library. Press the SPACEBAR| twice to change its value to "Library". Press RETURN| to register this choice, and then type in "Children" as the name of the library. Once that is done, hit F1| to leave this window (we won't allow the user additional keyboard input, so that parameter can keep the value of 'No'). Two padding characters, representing where the actual number of children will appear once entered by the user, appear next to the multiple choices.

THE LAST QUESTION

Let us now define question 6 (the last question of the survey).

A SCALED-DOWN QUESTION

This type of question will display a ladder scale for 0 to 10, because "Condition of Property" can be best answered as a value from 0 to 10 (0 being the worst condition possible, and 10 being the best). The user will glide an X (using a finger) to the value he or she considers to be the answer. for our application, the question is "Condition of Property". The resulting answer will be indicated by using the scale, and the answer will be a value from 0 to 10 in increments of 0.5.

Place the cursor on line 18 and column 18. Type in the question, "Condition of Property:", skip two spaces and hit F5| at column 42 on line 18. Enter "Property" as the Answer Name and press RETURN|. Make sure you enter the number 6 as

-54-

the Question Sequence number. Select Scale as the Answer type, and press RETURN|.

The Scale window will pop up, showing what the scale looks like and four of its parameters. Press RETURN| twice to place the cursor in the GoTo parameter. This question is the last question of the application and so the GoTo parameter must reflect this. Hit the SPACEBAR| five times to change the value of the parameter to "End Program". When the system will reach this parameter during execution, the application will terminate. Hit F1| to leave this window.

There are two final things to do: define a loop for the three questions concerning adults (age, gender and job status) and build the "District" and "Children" libraries.

LET'S DEFINE A LOOP

What is a loop and why do we need it? Well, a loop is simply a group of questions that will be asked over and over (creating new records each time) as long as the user wants.

As it stands now, our application records information only for one adult per household. To record information for more than a single adult per house, we must ask the second, third and fourth question for each adult. Hence, questions 2, 3 and 4 must be in a loop.

The way this works for the user is as follows: the first adult's information will be entered. Then, a prompt will appear, asking "Another adult?" The user will have three options: yes, no or review. If the user answers yes, the loop (questions 2, 3 and 4) will execute once more, recording information about another adult. If the user answers no, the loop will terminate and the next question ("Children") will be asked. If the user answers 'review', the user will be given the chance to edit all of the information previously entered.

-55-

LOOP DEFINITION

Let's define a loop for questions 2, 3 and 4. Without worrying about the position of the cursor, press ALT-L|. Since our loop will start with question 2, enter 2 in the From Question # parameter and press RETURN|. Our loop shall end with question 4, and so enter 4 in the To Question # parameter and press RETURN|. Below, a second window that keeps track of loops shall appear, showing this loop as the first 'Existing Loop'.

Skip over the Loop Type parameter for now by pressing RETURN|. Type in "Another adult?" in the Prompt parameter, replacing the more ambiguous "Another item?". At the end of each iteration of the loop, it is this prompt that the user will see displayed. The user will then answer either 'yes', 'No' or 'Review'. Press F4| to exit the loop definition window.

THE LIBRARIES

Now we are ready to build the two libraries. First, however, we must save the application and exit the Page Designer. Press F4| and select the "Save & Quit" option from the menu that appears. The "Create/Edit Applications" screen will return. Press the Letter Q to select the Quit option. the Applications Generator Menu will return, after which you should press 7 to quit back to the Main Menu.

Select the option "Library Maintenance" from the Main Menu by pressing the number 2. The Library Maintenance Menu will appear. The first option, "Sequential Libraries", is the one we want, and so hit RETURN| or press the number 1 for this option. The two libraries, "District" and "Children", are already created; they are simply empty. We must now build them.

BUILDING THE "DISTRICT" LIBRARY

Let's build the "District library first. Notice that the light bar is on the "Next" option. Press RETURN| twice and

-56-

the "District" library will be called up on the screen. The options "Next" and "Prev" simply go forwards and backwards respectively throughout the library listing. Currently, our library listing contains only two existing libraries, "District" and "Children".

Now that the "District" library is up on the screen, select the "Content" option by pressing the letter C (or moving the light bar over to it and pressing RETURN|. A two-option menu will appear, consisting of the choices "Main Library" and "Sub-libraries". Press RETURN| to select the first choice as we do not need sub-libraries for this application.

To build up entries in this library, press the letter A (to select the option "Add"). The cursor is now next to the Entry parameter. This is where you type in the library entries. We will enter the names of the districts that are going to be surveyed. After a name is entered, press

RETURN| twice to skip over the Return Value parameter and on to entering the next entry. For example, type in "Arlington" as a district. Hit RETURN| twice. Now type in "Cmbridge". Do the same for "Woburn" and "Burlington". Now we have a four entry library. For this example, we consider this to be enough. Press F4| to exit the window and return tot he menu below it.

If you made any mistakes entering entries, use the "Next" and "Prev" options (or the UP-ARROW| and DOWN-ARROW| keys for the same effect) to scroll through the library to the entry you want. Select the "Modify" option to re-edit the entry (pressing F4| when done), or select the "Delete" option to erase the entry.

Press Q while in the menu to quit the "Content" option when you are finished building the "District" library.

BUILDING THE "CHILDREN" LIBRARY

-57-

Now we are back to the screen of Figure 2.20 above. Press the letter P (for "Prev") to call up the "Children" library on screen. Press the letter C for the "Content" option and to pop up the "Main Library/Sub-libraries" menu again. Press RETURN| to choose the first option, and then press A to begin adding new entries, as we did previously.

This library consists of numbers higher than 2, for if you'll recall, this library will be displayed to the user if the household has more than 2 children. To avoid forcing the user to use the keyboard, we will create entries consisting of the number 3 to 10 (a reasonably high number). Do so in the exact same manner as outlined for the "District" library's entries.

After quitting the "Content" option once again and finding yourself back to the screen of Figure 2.20, press Q to quit back to the Library Maintenance Menu, press 4 to quit back to the Main Menu. The Survey application is completed. We need only to compile and download it.

COMPILING THE APPLICATION

To compile the application, select "Application Generator" from the Main Menu. Select the third option, "Compile", by pressing the number 3 from the Application Generator Menu. Type in the name "Survey" and press RETURN|. The application will be compiled into 3 run-time files. Once completed, you will find yourself back in the Applications Generator Menu.

DOWNLOADING THE APPLICATION

Press the number 6 to select the "Download" option from the Applications Generator Menu. Type in the name "Survey" once more, press RETURN| twice (skipping over the User parameter), and specify a pathname for the compiled version. Making sure that a floppy diskette is inserted in the drive specified, press RETURN| and the application will be

-58-

downloaded to the floppy. Your application, now on diskette,
is ready to be executed on the Datellite TM.

-59-

CLAIMS

1. A self-contained portable, keyboardless computer for performing data collection and recording functions, said computer comprising:
 - A. a combined input/output device including a display, a touch sensitive screen superposed over said display, and a touch screen controller for controlling said screen;
 - B. a memory having locations for storing data collection application and locations for storing data entered manually by touching said display screen, said application determining the content and format of displays appearing on said display;
 - C. a processing unit connected to said memory for executing said application and processing said manually entered data in accordance with said application, and connected to said input/output device;
 - D. a battery pack for powering said input/output device and said processing unit; and
 - E. a computer housing for housing said memory, processing unit, input/output device, and said battery pack, said enclosure having a window for rendering said display visible and said touch screen manually accessible.
2. The portable computer of Claim 1 wherein:
 - A. said memory includes a consequential library comprising (i) a first plurality of fields each for storing data and (ii) a second plurality of fields, each for storing an action in association with one or more said data fields; and
 - B. said processor unit causes the display on said

-60-

combined input/output device of a list comprising said data of said first plurality of fields;

- C. said combined input/output device responding to a touch to generate a signal indicating a selection from said list, said signal being transmitted to said processing unit; and
 - D. said processing unit responding to said signal to (i) store said selection of data at a pre-selected location in memory and (ii) fetch from memory the action stored therein that is associated with said selection of data and thereafter executing said action.
3. The portable computer of claim 1 wherein:
- A. said memory includes a first plurality of fields for storing questions; a second plurality of fields for storing answers to said questions; and a third plurality of fields each associated with one of said first plurality of fields for storing the information concerning the nature of the question or answer being sought;
 - B. said combined input/output device displaying an indicia in association with each question in conjunction with which data is being sought, and, when said indicia is touched transmitting a help-request signal to said processing unit; and
 - C. said processing unit fetching said information associated with the question which is associated with said touched indicia, and causing said fetched textured information to be displayed by said combined input/output device.
4. The portable computer of Claim 1 wherein:
- A. said memory includes a first plurality of fields for

-61-

storing a plurality of subjects concerning which data is to be collected, and a second plurality of fields, each associated with one of said first plurality of fields, for storing data;

- B. said processing unit selectively fetching said subjects from said first plurality of fields and causing said combined input/output device to display said fetched subjects;
 - C. said combined input/output device in response to touching of said touch sensitive screen at a selected location to indicate a user response to the subject, generating a response signal indicative of said response, data corresponding to said response signal being stored in one of said second plurality of fields corresponding to said subject.
5. The portable computer of Claim 4 wherein:
- A. said memory includes a third plurality of fields in association with at least one of said first plurality of subject fields, for storing a library of possible responses;
 - B. said processing unit fetching said library of possible responses from said third plurality of fields and causing said combined input/output device to display said library as a list of possible responses in association with said associated subject; and
 - D. said combined input/output device in response to touching of said touch sensitive screen at a selected location corresponding to one of said possible responses, generating said response signal indicative of said selected responses.
6. The portable computer of Claim 5 wherein said displayed possible responses are pictograms.

-62-

7. The portable computer of Claim 4 wherein:

- A. said memory includes a third plurality of fields for storing in association with at least one subject, a plurality of possible responses thereto;
- B. said processing unit selectively fetching said subjects from said first plurality of fields and said possible responses from said third plurality of fields and causing said combined input/output device to display said at least one subject in association with said possible responses as a multiple choice question; and
- C. said input/output device, in response to touching of said touch sensitive screen at a selected location corresponding to one of said possible responses, generating a response signal indicative of said response, data corresponding to said response signal being stored in the one of said second plurality of fields corresponding to said subject.

8. The portable computer of Claim 7 wherein said combined input/output device, in response to touching said touch sensitive screen at a plurality of locations to indicate a selected plurality of said possible responses, generates a plurality of response signals indicative of said response, data corresponding to each of said response signals being stored in said second plurality of fields corresponding to said subject.

9. The portable computer of Claim 4 wherein:

- A. said memory includes a third plurality of fields for storing a library of possible responses to at least one of said subject; and
- B. said processing unit responding to a response to said one subject by comparing said response with each

-63-

possible response of said library and, if a match is encountered, causing said display screen to display an indicia indicative of said match.

10. The portable computer of Claim 4 wherein:
 - A. said combined input/output device displays a "move" indicia in association with a subject displayed at a first location on the screen; and
 - B. said processing unit responds to a manual indication of said move indicia to move said subject to a second, different location on said screen.
11. The portable computer of Claim 1 further including a floppy disk drive connected to said memory and to said processing unit, powered by said battery pack, and housed by said enclosure.
12. The portable computer of Claim 1 in combination with a carrying case having:
 - A. a receptacle portion for receiving and holding said computer, said receptacle portion (i) defining a window coinciding with said computer housing window for rendering said display visible and said touch screen accessible, and (ii) having a top side, and a bottom side opposite to said top side;
 - B. a strap portion secured nearer the top side than the bottom side of said receptacle portion for suspending said personal computer from the neck of an ambulatory user;
 - C. a loop portion secured to the bottom side of said receptacle portion case for receiving a belt worn by said user; and
 - D. said receptacle portion, said strap portion and said loop portion cooperating to maintain said portable



-64-

computer at a suitable location and orientation for use.

13. The portable computer of Claim 1 wherein said enclosure includes a substantially planar surface defining said window, and said window constitutes at least 30% of said top surface's surface area.

14. The portable computer of Claim 13 wherein said processing unit generates said data collection application, and executed said application by causing specific displays of content and format established by said application to appear on said display and interfacing with said touch sensitive screen to receive data entered manually thereupon for processing by said processing unit and storage in said memory.

15. The portable computer of Claim 14 wherein said processing unit causes said display to display one or more data entry devices selected from a group comprising multiple-choice questions, multiple-choice/multiple-selection questions, simulated keyboard, sliding scale, and library of possible responses.






FIG. 2




FIG. 3

- 4 / 18 -




FIG. 4B

- 5 / 18 -




FIG. 5




FIG. 6





FIG.7






FIG. 9




FIG. 8B




FIG. 10




FIG. 11

12 / 18 -




FIG.12A

13 / 18 -

LAS VEGAS POLICE DEPARTMENT				
WESTERN STATE :				
NEVADA	CALIFORNIA	ARIZONA	UTAH	WASHINGTON
ID AHO	NEW MEXICO	COLORADO	WYOMING	OREGON
TEXAS	OKLAHOMA	KANSAS	NEBRASKA	SOUTH DAKOTA
NORTH DAKOTA	LOUISIANA	ARKANSAS	MISSOURI	IOWA
MINNESOTA	WISCONSIN	ILLINOIS	TENNESSEE	OTHER
ANSWER	NEXT	PREV	QUIT	

FIG. 12B

14 / 18 -

VEHICLE

TAG NUMBER:

TAG YEAR:

89

OTHER

VEHICLE YEAR:

1989

1988

1987

1986

1985

1984

1983

OTHER

MAKE:

MODEL:

COLOR:

ANSWER

NEXT

PREV

QUIT

FIG. 12C

VEHICLE	
TAG NUMBER: DRT 7Y7	TAG YEAR: 89 OTHER
KEYBOARD LIBRARY	
1989 1988 198	84 1983 OTHER
MAKE : MODEL : COLOR :	
ANSWER	NEXT PREV QUIT

MAKE: B.M.W.

PAGE: 1

B.M.W.
BUICK
CHEVY
CHRYSLER
DODGE
FERARRI
FORD
G.M.C.
HYUNDAI
JAGUAR
LAMBORG
MERCEDES
MERCURY
NISSAN
OLDS
PLYMOUTH
PONTIAC
ROLLS R.
TOYOTA

PICK

MOVE

CANC

PGUP

PG DN

HOME

HELP

FIG. 12 D

INFRACTION	INFRACTION CODE	METER NUMBER
DESCRIPTION		TYPE
		FINE \$.00
LOCATION NO. STREET		
FACING NEAR OPP INTER BACK <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>		SIDE <input type="text"/> N <input type="text"/> S <input type="text"/> E <input type="text"/> W
ANSWER	NEXT	PREV
		QUIT

FIG. 12E

17 / 18 -

Infraction| Infraction code A-001
Page : 1

CODE	DESCRIPTION	FIN	PICK
A-001	Time Limit	35	MOVE
A-007	Parking more than 72 hours same location	35	CANC
A-008	Parking more than 1 hour on public road	35	PgUp
A-021	Parking with key left in unattended car	35	PgDn
A-030	Parking over 12 hours on city property	50	HOME
A-101	No parking signs	10	HELP
A-102	No parking - movable signs	10	
A-103	No parking - bus zone	35	
A-117	Parking against traffic	35	
A-105	Parking in front of sidewalk ramp	10	
A-106	Parking in handicap zone	50	
A-107	Parking less than 6.5 feet from hydrant	50	
A-108	Parking within 26 feet of street corner	10	
A-116	Not parallel-parked to sidewalk	10	
A-104	Parking on sidewalk	10	
A-121	Parking on hill without wheels turned in	10	
A-123	Parking in reserved locations	35	
A-125	Illegal parking in parks	10	

FIG. 12F




FIG. 14




FIG. 13

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 89/05198

I. CLASSIFICATION OF SUBJECT MATTER (If several classification symbols apply, indicate all) ⁸ According to International Patent Classification (IPC) or to both National Classification and IPC IPC ⁵ : G 06 F 15/02, G 06 F 3/033														
II. FIELDS SEARCHED <div style="text-align: right; font-size: small;">Minimum Documentation Searched ⁷</div> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;">Classification System </td> <td style="width: 50%; border: none;">Classification Symbols</td> </tr> <tr> <td style="border: none; padding: 5px;">IPC⁵</td> <td style="border: none; padding: 5px;">G 06 F</td> </tr> </table> <div style="text-align: center; font-size: x-small; margin-top: 5px;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are included in the Fields Searched ⁸</div>			Classification System	Classification Symbols	IPC ⁵	G 06 F								
Classification System	Classification Symbols													
IPC ⁵	G 06 F													
III. DOCUMENTS CONSIDERED TO BE RELEVANT ⁹ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%; font-size: x-small;">Category ⁹</th> <th style="width: 60%; font-size: x-small;">Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²</th> <th style="width: 30%; font-size: x-small;">Relevant to Claim No. ¹³</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; vertical-align: top;">X,Y</td> <td style="vertical-align: top;"> DE, A, 2739157 (FARBER et al.) 15 March 1979 see page 3, lines 1-10; page 4, lines 7-12, 21-37; page 5, line 1, 11-13; page 7, lines 27-34; page 8, lines 1-8; figure 2; figure 3 </td> <td style="text-align: center; vertical-align: top;">1, 13, 14</td> </tr> <tr> <td style="text-align: center; vertical-align: top;">X</td> <td style="vertical-align: top;"> -- GB, A, 2193023 (CULLUM) 27 January 1988 see page 1, lines 34-41, 89-95, 102-118, 129-130; page 2, lines 1-3; page 3, lines 3-55; page 4, lines 69-97; figures 1, 3, 4, 10 </td> <td style="text-align: center; vertical-align: top;">1, 11, 13, 14</td> </tr> <tr> <td style="text-align: center; vertical-align: top;">Y</td> <td style="vertical-align: top;"> -- EP, A, 0271280 (AT & T) 15 June 1988 see column 1, lines 27-53; column 4, lines 35-52; column 5, lines 16-29; column 6, lines 17-44; column 9, lines 2-28; column 14, lines 11-22; column 17, lines 45-52; figures 1, 3, 5, 7, 11, 13 </td> <td style="text-align: center; vertical-align: top;">2, 4-10, 15</td> </tr> </tbody> </table>			Category ⁹	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	X,Y	DE, A, 2739157 (FARBER et al.) 15 March 1979 see page 3, lines 1-10; page 4, lines 7-12, 21-37; page 5, line 1, 11-13; page 7, lines 27-34; page 8, lines 1-8; figure 2; figure 3	1, 13, 14	X	-- GB, A, 2193023 (CULLUM) 27 January 1988 see page 1, lines 34-41, 89-95, 102-118, 129-130; page 2, lines 1-3; page 3, lines 3-55; page 4, lines 69-97; figures 1, 3, 4, 10	1, 11, 13, 14	Y	-- EP, A, 0271280 (AT & T) 15 June 1988 see column 1, lines 27-53; column 4, lines 35-52; column 5, lines 16-29; column 6, lines 17-44; column 9, lines 2-28; column 14, lines 11-22; column 17, lines 45-52; figures 1, 3, 5, 7, 11, 13	2, 4-10, 15
Category ⁹	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³												
X,Y	DE, A, 2739157 (FARBER et al.) 15 March 1979 see page 3, lines 1-10; page 4, lines 7-12, 21-37; page 5, line 1, 11-13; page 7, lines 27-34; page 8, lines 1-8; figure 2; figure 3	1, 13, 14												
X	-- GB, A, 2193023 (CULLUM) 27 January 1988 see page 1, lines 34-41, 89-95, 102-118, 129-130; page 2, lines 1-3; page 3, lines 3-55; page 4, lines 69-97; figures 1, 3, 4, 10	1, 11, 13, 14												
Y	-- EP, A, 0271280 (AT & T) 15 June 1988 see column 1, lines 27-53; column 4, lines 35-52; column 5, lines 16-29; column 6, lines 17-44; column 9, lines 2-28; column 14, lines 11-22; column 17, lines 45-52; figures 1, 3, 5, 7, 11, 13	2, 4-10, 15												
<div style="display: flex; justify-content: space-between; font-size: x-small;"> <div style="width: 45%;"> <p>¹⁰ Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </div> </div>														
IV. CERTIFICATION <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;">Date of the Actual Completion of the International Search</td> <td style="width: 50%; border: none;">Date of Mailing of this International Search Report</td> </tr> <tr> <td style="border: none; text-align: center;">13th November 1990</td> <td style="border: none; text-align: center;">03.12.90</td> </tr> <tr> <td style="border: none;">International Searching Authority</td> <td style="border: none;">Signature of Authorized Officer</td> </tr> <tr> <td style="border: none; text-align: center;">EUROPEAN PATENT OFFICE</td> <td style="border: none; text-align: center;">H. Ballesteros </td> </tr> </table>			Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report	13th November 1990	03.12.90	International Searching Authority	Signature of Authorized Officer	EUROPEAN PATENT OFFICE	H. Ballesteros				
Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report													
13th November 1990	03.12.90													
International Searching Authority	Signature of Authorized Officer													
EUROPEAN PATENT OFFICE	H. Ballesteros													

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No
Y	GB, A, 2156114 (HEWLETT-PACKARD CO.) 2 October 1985 see page 1, lines 91-129; page 2, lines 4-23; figures 1,2 --	3
A	Advances in Instrumentation, volume 42, part 2, ISA, (Research Triangle Park, NC, US), P.P. Off: "Human interface techniques for real-time global data base access", pages 883-890 see page 884, lines 22-48 --	1-15
P,X	WO, A, 8901658 (RANDALL) 23 February 1989 see the whole document --	1-10,13,14
A	EP, A, 0053061 (E.P.D.) 2 June 1982 see the whole document -----	1,13,14

**ANNEX TO THE INTERNATIONAL SEARCH REPORT
ON INTERNATIONAL PATENT APPLICATION NO.**

US 8905198
SA 39660

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 27/11/90. The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE-A- 2739157	15-03-79	None	
GB-A- 2193023	27-01-88	None	
EP-A- 0271280	15-06-88	US-A- 4763356 JP-A- 63158623	09-08-88 01-07-88
GB-A- 2156114	02-10-85	US-A- 4649499 JP-A- 60215231	10-03-87 28-10-85
WO-A- 8901658	23-02-89	AU-A- 2136588 EP-A- 0375703 FR-A- 2619642 GB-A- 2229301	09-03-89 04-07-90 24-02-89 19-09-90
EP-A- 0053061	02-06-82	FR-A, B 2494465 JP-A- 57111761 US-A- 4545023	21-05-82 12-07-82 01-10-85

EP0 FORM 10079

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82